·	Application No.	Applicant(s)
Nation of Allamability	10/621,600	ALFORD ET AL.
Notice of Allowability	Examiner	Art Unit
	Clifford C. Shaw	1725
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the RCE filed on 1/16/2007.		
2. The allowed claim(s) is/are <u>1-20</u> .		
<ul> <li>3.   Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)</li></ul>		
2. Certified copies of the priority documents have been received in Application No.		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	•	
		Tus V
Attachment(s)		
1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal Pa	atent Application
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary (PTO-413),	
3. ⊠ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Date 7. ☐ Examiner's Amendment/Comment	
Paper No./Mail Date <u>0116</u>		
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. <b>②</b> Examiner's Statement of Reasons for Allowance	
	9.  Other	
· .		
•		· ·
•		. •

Application/Control Number: 10/621,600

Art Unit: 1725

## **Reasons for Allowance**

The following is an examiner's statement of reasons for allowance: none of the prior art of record teaches or suggests a method of forge welding tubulars as set forth in independent claim 1 with the limitations associated with the number of circumferentially spaced cameras coupled to a pyrometric and position monitoring system. None of the prior art of record teaches or suggests a tubular string joined by a particular method as in independent claim 13. The tubular string of claim 13 is considered to be structurally distinct from a conventional tubular string because the claim 13 tubular string is produced by the claimed steps that include the use of a reducing shield gas that will produce a metallurgical bond with minimal irregularities combined with the heating and forging steps that will produce a weld of minimal deformation.

None of the prior art of record teaches or suggests the system of independent claim 19 that includes a plurality of circumferentially spaced cameras and includes the pyrometric and position monitoring system that adjusts the position of tubular ends as set forth in the claim. The dependent claims are allowable at least because they depend from the allowed independent claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication should be directed to Clifford C Shaw at telephone number 571-272-1182. The examiner can normally be reached on Monday through Friday of the first week of the pay period and on Tuesday through Friday of the second week of the pay period.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Patrick J. Ryan, can be reached at 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Clifford C Shaw Primary Examiner

digner a give per a

Art Unit 1725

March 25, 2007